




## XP8 Nozzles




Stock Code	Description	Tip Recess	Bore	Model
A XP2002-10	Tapered Nozzle	Flush	10mm/3/8"	XP8 200A/300A




Stock Code	Description	Tip Recess	Bore	Model
B XP2002-13	Tapered Nozzle	2.4mm/3/32"	13mm/1/2"	XP8 200A/300A
XP2002-16	Conical Nozzle	2.4mm/3/32"	16mm/5/8"	XP8 200A/300A
XP2002-19	Cylindrical Nozzle	2.4mm/3/32"	19mm/3/4"	XP8 200A/300A



Stock Code	Description	Tip Recess	Bore	Model
C XP2002-16L	Conical Nozzle	6.5mm/1/4"	16mm/5/8"	XP8 200A/300A
XP2002-19L	Cylindrical Nozzle	6.5mm/1/4"	19mm/3/4"	XP8 200A/300A



Stock Code	Description	Tip Recess	Bore	Model
D XP3002-13	Tapered Nozzle	3mm/1/8"	13mm/1/2"	XP8 300A-450W
XP3002-16	Conical Nozzle	3mm/1/8"	16mm/5/8"	XP8 300A-450W
XP3002-19	Cylindrical Nozzle	3mm/1/8"	19mm/3/4"	XP8 300A-450W




Stock Code	Description	Tip Recess	Bore	Model
E XP3002-16L	Conical Nozzle	6.5mm/1/4"	16mm/5/8"	XP8 300A-450W
XP3002-19L	Cylindrical Nozzle	6.5mm/1/4"	19mm/3/4"	XP8 300A-450W


## Roll Marking

All Parweld consumables are roll marked to enable you to identify genuine Parweld product.

## XP8 Contact Tips




Stock Code	Description	Wire Size	Material	Model
A XP2003-06	Contact Tip	0.6mm/.023"	CuCrZr	200A/300A/320W
XP2003-08	Contact Tip	0.8mm/.030"	CuCrZr	200A/300A/320W
XP2003-09	Contact Tip	0.9mm/.035"	CuCrZr	200A/300A/320W
XP2003-10	Contact Tip	1.0mm/.040"	CuCrZr	200A/300A/320W
XP2003-12	Contact Tip	1.2mm/.045"	CuCrZr	200A/300A/320W
XP2003-13	Contact Tip	1.3mm/.052"	CuCrZr	200A/300A/320W
XP2003-14	Contact Tip	1.4mm/.055"	CuCrZr	200A/300A/320W
XP2003-10A	Contact Tip Al	1.0mm/.040"	CuCrZr	200A/300A/320W
XP2003-12A	Contact Tip Al	1.2mm/.045"	CuCrZr	200A/300A/320W




Stock Code	Description	Wire Size	Material	Model
B XP3003-08	Contact Tip	0.8mm/.030"	CuCrZr	300A-450W
XP3003-09	Contact Tip	0.9mm/.035"	CuCrZr	300A-450W
XP3003-10	Contact Tip	1.0mm/.040"	CuCrZr	300A-450W
XP3003-12	Contact Tip	1.2mm/.045"	CuCrZr	300A-450W
XP3003-13	Contact Tip	1.3mm/.052"	CuCrZr	300A-450W
XP3003-14	Contact Tip	1.4mm/.055"	CuCrZr	300A-450W
XP3003-16	Contact Tip	1.6mm/1/16"	CuCrZr	300A-450W
XP3003-18	Contact Tip	1.8mm/.071"	CuCrZr	300A-450W
XP3003-20	Contact Tip	2.0mm/5/64"	CuCrZr	300A-450W
XP3003-24	Contact Tip	2.4mm/3/32"	CuCrZr	300A-450W
XP3003-10A	Contact Tip Al	1.0mm/.040"	CuCrZr	300A-450W
XP3003-12A	Contact Tip Al	1.2mm/.045"	CuCrZr	300A-450W


## XP8 Head Assemblies



Stock Code	Description	Tip Thread	Model
A XP2005	Head Assembly	M8	XP8 200A/300A/320W




Stock Code	Description	Tip Thread	Model
B XP3005	Head Assembly	M10	XP8 200A/300A/320W




Stock Code	Description	Tip Thread	Model
C XP3505	Head Assembly	M10	XP8 350A/400A/450W

**XP8 Diffusers**


XP8



	<b>Stock Code</b>	<b>Description</b>	<b>Head</b>	<b>Model</b>
<b>A</b>	XP2004B	Plastic Diffuser	M8	XP8 200A/300A
	XP2004C	Ceramic Diffuser	M8	XP8 200A/300A/320W



	<b>Stock Code</b>	<b>Description</b>	<b>Head</b>	<b>Model</b>
<b>B</b>	XP3004B	Moulded Diffuser	M10	XP8 350A/400A/450W
		Supplied With Ceramic Insert		



	<b>Stock Code</b>	<b>Description</b>	<b>Head</b>	<b>Model</b>
<b>C</b>	XP3004C	Ceramic Diffuser	M10	XP8 350A/400A/450W

**Roll Marking**

All Parweld consumables are roll marked to enable you to identify genuine Parweld product.

# XP8 Liner Selector Chart

	Stock Code	Description	Length	Wire Size	Application	Model	XP8-200A	XP8-300A	XP8-350A	XP8-400A	XP8-320W	XP8-450W
A	XP2024-09-30	Steel Liner	3m / 10 ft	.023"-.035" / 0.6-0.9mm	Steel Wires		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	XP2024-09-40	Steel Liner	4m / 13 ft	.023"-.035" / 0.6-0.9mm	Steel Wires		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	XP2024-09-50	Steel Liner	5m / 16 ft	.023"-.035" / 0.6-0.9mm	Steel Wires		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
A	XP2024-12-30	Steel Liner	3m / 10 ft	040"-.045" / 1.0-1.2mm	Steel Wires		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	XP2024-12-40	Steel Liner	4m / 13 ft	040"-.045" / 1.0-1.2mm	Steel Wires		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	XP2024-12-50	Steel Liner	5m / 16 ft	040"-.045" / 1.0-1.2mm	Steel Wires		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
A	XP2024-16-30	Steel Liner	3m / 10 ft	.045"-.063" / 1.2-1.6mm	Steel Wires		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	XP2024-16-40	Steel Liner	4m / 13 ft	.045"-.063" / 1.2-1.6mm	Steel Wires		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	XP2024-16-50	Steel Liner	5m / 16 ft	.045"-.063" / 1.2-1.6mm	Steel Wires		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
B	XP2024PC-12-30	Polyamide-Copper Liner	3m / 10 ft	.030"-.045" / 0.8-1.2mm	Soft Wires		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	XP2024PC-12-40	Polyamide-Copper Liner	4m / 13 ft	.030"-.045" / 0.8-1.2mm	Soft Wires		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	XP2024PC-12-50	Polyamide-Copper Liner	5m / 16 ft	.030"-.045" / 0.8-1.2mm	Soft Wires		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
B	XP2024PS-12-30	Polyamide-Steel Liner	3m / 10 ft	.030"-.045" / 0.8-1.2mm	Hard Wires		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	XP2024PS-12-40	Polyamide-Steel Liner	4m / 13 ft	.030"-.045" / 0.8-1.2mm	Hard Wires		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	XP2024PS-12-50	Polyamide-Steel Liner	5m / 16 ft	.030"-.045" / 0.8-1.2mm	Hard Wires		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
A	XP3524-12-30	Steel Liner	3m / 10 ft	040"-.045" / 1.0-1.2mm	Steel Wires		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	XP3524-12-40	Steel Liner	4m / 13 ft	040"-.045" / 1.0-1.2mm	Steel Wires		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	XP3524-12-50	Steel Liner	5m / 16 ft	040"-.045" / 1.0-1.2mm	Steel Wires		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
A	XP3524-16-30	Steel Liner	3m / 10 ft	.045"-.063" / 1.2-1.6mm	Steel Wires		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	XP3524-16-40	Steel Liner	4m / 13 ft	.045"-.063" / 1.2-1.6mm	Steel Wires		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	XP3524-16-50	Steel Liner	5m / 16 ft	.045"-.063" / 1.2-1.6mm	Steel Wires		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
B	XP3524PC-16-30	Polyamide-Copper Liner	3m / 10 ft	.045"-.063" / 1.2-1.6mm	Soft Wires		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	XP3524PC-16-40	Polyamide-Copper Liner	4m / 13 ft	.045"-.063" / 1.2-1.6mm	Soft Wires		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	XP3524PC-16-50	Polyamide-Copper Liner	5m / 16 ft	.045"-.063" / 1.2-1.6mm	Soft Wires		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
B	XP3524PS-16-30	Polyamide-Steel Liner	3m / 10 ft	.045"-.063" / 1.2-1.6mm	Hard Wires		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	XP3524PS-16-40	Polyamide-Steel Liner	4m / 13 ft	.045"-.063" / 1.2-1.6mm	Hard Wires		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	XP3524PS-16-50	Polyamide-Steel Liner	5m / 16 ft	.045"-.063" / 1.2-1.6mm	Hard Wires		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
A	XP4024-24-30	Steel Liner	3m / 10 ft	.080"-.095" / 2.0-2.4mm	Steel Wires		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	XP4024-24-40	Steel Liner	4m / 13 ft	.080"-.095" / 2.0-2.4mm	Steel Wires		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	XP4024-24-50	Steel Liner	5m / 16 ft	.080"-.095" / 2.0-2.4mm	Steel Wires		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
B	XP4024PC-20-30	Polyamide-Copper Liner	3m / 10 ft	.063/.080" / 1.6-2.0mm	Soft Wires		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	XP4024PC-20-40	Polyamide-Copper Liner	4m / 13 ft	.063/.080" / 1.6-2.0mm	Soft Wires		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	XP4024PC-20-50	Polyamide-Copper Liner	5m / 16 ft	.063/.080" / 1.6-2.0mm	Soft Wires		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
B	XP4024PS-20-30	Polyamide-Steel Liner	3m / 10 ft	.063/.080" / 1.6-2.0mm	Hard Wires		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	XP4024PS-20-40	Polyamide-Steel Liner	4m / 13 ft	.063/.080" / 1.6-2.0mm	Hard Wires		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
	XP4024PS-20-50	Polyamide-Steel Liner	5m / 16 ft	.063/.080" / 1.6-2.0mm	Hard Wires		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

■ Solid Box = Recommended Liner

□ Clear Box = Compatible Liner

